Tools for Active Safety Surveillance
of Maternal and Infant Health
Outcomes for Pregnant and
Breastfeeding Users of Oral PrEP
and PrEP Ring

SUMMARY BRIEF, SURVEILLANCE REGISTER, AND CASE REPORT FORM







Summary Brief

Background

Although available data are reassuring regarding the safety of pre-exposure prophylaxis (PrEP) use during pregnancy and breastfeeding, the World Health Organization (WHO) has recommended additional active surveillance of mother and infant outcomes during PrEP use in pregnancy and breastfeeding (P/BF). This recommendation, found in the WHO technical brief 'Preventing HIV During Pregnancy and Breastfeeding in the Context of PrEP,' advises that active surveillance of PrEP exposure during pregnancy and the breastfeeding period focus on the following three areas:

- 1. **Maternal adverse outcomes**: Monitoring treatment-limiting toxicities associated with antiretroviral therapy in pregnant women, particularly mortality.
- 2. Adverse birth outcomes: Monitoring toxicity in the fetus in utero, manifesting as stillbirths, preterm births, low birthweight, major congenital anomalies, or early infant deaths. Adverse birth outcomes may be routinely monitored by integrating an additional indicator into the national monitoring and evaluation system.
- 3. Adverse infant and child outcomes: Monitoring health outcomes in infants and young children exposed to antiretroviral (ARV) drugs in utero or via breast milk, particularly any impact on growth and development.

More broadly, WHO has encouraged countries to implement active toxicity surveillance for ARV use, including during pregnancy and breastfeeding. The WHO Implementation Tool for Monitoring the Toxicity of New Antiretroviral and Antiviral Medicines in HIV and Viral Hepatitis Programmes provides a framework for pharmacovigilance monitoring within the context of national treatment programs. Although this framework allows for inclusion of pregnant women, it does not include surveillance of many important maternal and child health outcomes. The surveillance tools included in this package, including a PBFP PrEP Surveillance Register and a PBFP PrEP Case Report Form are meant to serve as templates for countries to adapt to fit their own surveillance systems.

Surveillance Tools Overview

The Surveillance Tools for tracking outcomes by PrEP users during pregnancy and breastfeeding include a template PBFP PrEP Case Report Form and PBFP PrEP Surveillance Register which can be adapted to country contexts/needs for tracking maternal and newborn health outcomes among PBFP PrEP users. Both oral PrEP and the PrEP ring have been integrated into these materials, but countries using them should look to their current guidelines when deciding what to extract from the tools.

Tool	Description
PBFP PrEP Surveillance Register	The sample paper clinic register can be adapted for use to monitor PrEP use and outcomes for PBFP.
PBFP PrEP Case Report Form	This case report form facilitates a standardized approach to collection of recommended data for active surveillance of adverse outcomes of PrEP users during pregnancy and breastfeeding.

PBFP PrEP Surveillance Register

Record	if any P	rEP use	(initiation, disco	ntinuation, n	nethod switch) by a	pregnant or breasti	eeding person								infant	te when t is 1, 3, nths old	, and
Full Name	ID Age	Age	Method of PrEP Started (Indicate oral PrEP or PrEP ring)	PrEP method	Date for Age in Weeks PrEP at PrEP Start	kks Switch or Method Switch rt Discontinuation or During Discontinuation Pregnancy or During Breastfeeding Pregnancy or	Reason for Pregnancy Discontinuation Outcome or Method Switch During Pregnancy or Breastfeeding		Gestational Birth- Age at weight Pregnancy (in Outcome grams)	,	Maternal Death	Any Other Medications used During Pregnancy or Breastfeeding	Infant health and development				
					indicate 'Pre- pregnancy'; If PrEP use started during pregnancy indicate gestational age; If PrEP use started during breastfeeding period, indicate weeks postpartum)	1=Switched to oral PrEP 2=Switched to PrEP ring 3=Discontinued all methods of PrEP	(If Applicable) (If PrEP discontinued or switched during pregnancy indicate gestational age; If PrEP use discontinued or switched during breastfeeding period, indicate weeks postpartum)	1=Side effects noted by client (write-in main side effects) 2=Client no longer wishes to be on PrEP 3=Client wants to try a different PrEP method 4= Other (write-in reason)	1=Pregnancy loss (specify cause of death if known) 2=Stillbirth 3=Livebirth	Estimated gestational age in weeks at time of pregnancy outcome		1=Yes (specify) 2=No 3=Unknown	1=Yes (specify cause of death if known) 2=No	Record name of medication(s)	2=Suspector growth or developm (write-in/ 3=Decease 4=N/A (st 5=Unknown)	epected th or opment e-in/speceased	t issue ecify)
																	Г

PBFP PrEP Case Report Form

SECTION 1 (PRIORITY OUTCOMES TO MONITOR)					
IDENTIFIER (Case ID)					
Case ID number					
FACILITY INFORMATION					
Country					
Facility name					
Site identifier					
MOTHER AND INFANT IDENTIFIERS					
Mother local ID number					
Infant's local ID number					
MATERNAL AND FAMILY INFORMATION					
Mother's date of birth					
Maternal age at delivery					
Mother's height					
Mother's weight					
Total number of previous deliveries					
Maternal chronic diseases or diseases during pregnancy					
Blood pressure					
Family with congenital anomaly					
PREGNANCY					
Last menstrual period					
Date of pregnancy outcome					
Gestational age at pregnancy outcome					
Method for gestational age calculation					
Fetal presentation					
Type of delivery					
Gestational age at enrollment					
FETUS/INFANT DATA					
Outcome of pregnancy					
Sex of infant/fetus delivered					
Infant length at birth					
Infant weight at birth					

Infant head circumference at birth	
Results of surface examination	
Congenital anomaly detected	
Child HIV status	
Child death	
Age at death	
Infant postmortem autopsy	
Karyotype	
EXPOSURE: SUBSTANCES AND MEDICAL TREATMENTS	
Alcohol	
Alcohol Tobacco	
Tobacco	
Tobacco Illicit drugs/substance abuse	
Tobacco Illicit drugs/substance abuse Drug name (include which method of PrEP: Oral PrEP or PrEP ring)	
Tobacco Illicit drugs/substance abuse Drug name (include which method of PrEP: Oral PrEP or PrEP ring) Code for drug name	
Tobacco Illicit drugs/substance abuse Drug name (include which method of PrEP: Oral PrEP or PrEP ring) Code for drug name Dose	

SECTION 2 (ADDITIONAL INFANT OUTCOMES TO CONSIDER MONITORING)				
INFANT STATUS AT AGE 1 MONTH				
Infant length				
Infant weight				
Infant head circumference				
Results of surface examination				
HIV status				
Developmental screening				
Child death				
Age at death				
Infant postmortem autopsy				
INFANT STATUS AT AGE 3 MONTHS				
Infant length				
Infant weight				
Infant head circumference				
Results of surface examination				

HIV status					
Developmental screening					
Child death					
Age at death					
Infant postmortem autopsy					
INFANT STATUS AT AGE 6 MONTHS					
Infant length					
Infant weight					
Infant head circumference					
Results of surface examination					
HIV status					
Developmental screening					
Child death					
Age at death					
Infant postmortem autopsy					
INFANT STATUS AT AGE 12 MONTHS					
Infant length					
Infant weight					
Infant head circumference					
Results of surface examination					
HIV status					
Developmental screening					
Child death					
Age at death					
Infant postmortem autopsy					